Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (Currently Amended) A printing and display device for use with an external computer, the printing and display device comprising:
 - a flat panel display for displaying images from anthe external computer;
 - a printer including a printhead for printing onto paper;
- a stand <u>removably attached to the flat panel display</u> for supporting the flat panel display and the printer; and,
- a display data connection for selectively connecting to the external computer to receive display data used to provide the images displayed; and
- a print data connection for selective connection to the external computer to receive print data from the external computer; wherein,

the stand includes at least one receptacle configured to accept at least one replaceable ink cartridge for supplying ink to the printer.

- 2. (Original) A printing and display device as claimed in claim 1 wherein a viewable size of the printing and display device exceeds 40cm measured along a diagonal of the printing and display device.
- 3. (Original) A printing and display device as claimed in claim 1, wherein the at least one receptacle is formed in a base portion of the stand.
- 4. (Original) A printing and display device as claimed in claim 1, further including at least one ink duct configured to supply ink from the cartridge to the printhead when the cartridge is engaged with the receptacle.

Appln No. 10/803073 Amdt. Dated: December 09, 2008 Response to Office Action of September 29, 2008

3

5. (Original) A printing and display device as claimed in claim 1, wherein the printer

includes at least two the printheads, the printheads being disposed on either side of a path

through which print media is fed for printing, thereby enabling substantially simultaneous

printing of both sides of the print media.

6. (Previously Presented) A printing and display device as claimed in claim 1,

configured to receive print data to be printed, and display data to be displayed, from a

computer system that includes the computer.

7. (Canceled)

8. (Previously Presented) A printing a display device as claimed in claim 1, wherein

the connection includes at least one socket for accepting at least one corresponding data

cable.

9. (Previously Presented) A printing and display device as claimed in claim 1, wherein

the connection includes a wireless receiver for receiving the print data and/or the display

data.

10. (Previously Presented) A printing and display device as claimed in claim 1, wherein

the connection is a Universal Synchronous Bus (USB) connection.

11. (Original) A printing and display device as claimed in claim 1, further including a

paper feed mechanism for feeding paper to the printhead for printing, the printhead being

arranged to print onto the paper.

Appln No. 10/803073 Amdt. Dated: December 09, 2008

Response to Office Action of September 29, 2008

(Previously Presented) A printing and display device as claimed in claim 11,

wherein the paper feed mechanism is configured to position the paper substantially parallel

4

in at least one direction with respect to a plane defined by the flat panel display.

13. (Previously Presented) A printing and display device as claimed in claim 11 or 12,

wherein the paper feed mechanism is configured to accept a single sheet of paper at a time

for printing.

12.

14. (Previously Presented) A printing and display device as claimed in claim 11 or 12,

wherein the paper feed mechanism includes a paper separator for feeding a single sheet of

paper to the printhead from a stack of sheets of paper.

15. (Original) A printing and display device as claimed in claim 1, wherein the printer is

a process color printer.

16. (Original) A printing and display device as claimed in claim 1, wherein the printer is

an inkjet printer.

17. (Original) A printing and display device as claimed in claim 15, wherein the printer

has more than 5,000 inkjet nozzles.

18. (Original) A printing and display device as claimed in claim 1 or 16, wherein the

printer is a page-width printer.

19. (Original) A printing and display device as claimed in claim 1, wherein the flat panel

display measures at least 14 inches on the diagonal.

Appln No. 10/803073 Amdt. Dated: December 09, 2008 Response to Office Action of September 29, 2008

5

20. (Original) A printing and display device as claimed in claim 1, including at least two

of the printheads, the printheads being disposed on either side of a path through which the

paper is fed for printing, thereby enabling substantially simultaneous printing of both sides

of a sheet of paper.

21. (Original) A printing and display device as claimed in claim 1, configured to enable

printing of standard A4 or Letter sized sheets of paper.

22. (Original) A printing and display device as claimed in claim 1, configured such that

paper to be printed is fed manually into a paper path that directs the paper from a region

adjacent the upper edge of the flat panel display, past the printhead for printing, then out of

the device adjacent a lower edge of the flat panel display.

23. (Original) A printing and display device as claimed in claim 1, further including a

curved paper guide disposed, when the device is in use, beneath the flat panel display, such

that the paper that has been printed is urged horizontally as it exits the device.

24. (Original) A printing and display device as claimed in claim 1, wherein the flat panel

display is of one of the following types:

a. Liquid Crystal Display (LCD);

b. Organic Light Emitting Diode (OLED)

c. Field Emission Display (FED)

d. Plasma Display Panel (PDP)

25. (Original) A printing and display device as claimed in claim 1, wherein the printhead

is configured to receive halftoned print data to be printed onto the print media.

Appln No. 10/803073 Amdt. Dated: December 09, 2008

Response to Office Action of September 29, 2008

26. (Original) A printing and display device as claimed in claim 1, further including a

6

halftoning unit for generating halftoned image data and supplying it to the printhead for

printing.

27. (Original) A printing and display device as claimed in claim 1, wherein the printhead

is configured to print photographic images.

28. (Original) A printing and display device as claimed in claim 1, wherein the printhead

is configured to print image and text data.

29-30. (Canceled)

31. (Previously Presented) A printing and display device as claimed in claim 1 further

comprising a data connection hub which provides the display data connection and the print

data connection.

32. (Previously Presented) A printing and display device as claimed in claim 1 wherein

during printing, the paper being printed passes between the flat panel display and the

printhead, or passes behind the flat panel display and the printhead relative to a viewing

position of the flat panel display.

33. (Previously Presented) A printing and display device as claimed in claim 1 further

comprising:

a multi-sheet paper holder; and,

a paper sheet separator configured to separate a single paper sheet from the paper in

the paper holder for supply to the printhead.

Appln No. 10/803073 Amdt. Dated: December 09, 2008

Response to Office Action of September 29, 2008

7

34. (Previously Presented) A printing and display device as claimed in claim 1 wherein

the printer includes at least two pagewidth printheads, the pagewidth printheads being

disposed on either side of a path through which print media is fed for printing, thereby

enabling substantially simultaneous printing of both sides of the print media.

35. (Previously Presented) A printing and display device as claimed in claim 1 further

comprising an interface for user input to generate a print command; wherein,

the printing and display device is configured for connection to a computer system

and transmit a print request in response to a print command; and,

receive, from the computer system and in response to the print request, a document

to be printed; and

print the document.

36. (New) A printing and display device comprising:

a flat panel display for displaying images;

a printer including a printhead for printing onto print media;

a stand removably attached to the flat panel display for supporting the flat panel

display and the printer; and

a print media feed path for feeding the print media pass the printhead, the feed path

having an entry located at the top of the flat panel display, and an exit located at the bottom

of the flat panel display, wherein

the stand supports the flat panel display and printer in a suspended position above a

base of the stand, allowing print media to be fed out from the exit unobstructed, and

the stand includes a receptacle configured to accept a replaceable ink cartridge for

supplying ink to the printer.